

**CITY OF SAN ANTONIO
DEPARTMENT OF CAPITAL IMPROVEMENTS
MANAGEMENT SERVICES**

**PROJECT NAME: ROOSEVELT DRAINAGE AT MARCH AVE
CIMS PROJECT NO. 40-00245**

DATE: April 1, 2013

ADDENDUM No. #1

This addendum will be included in and be considered part of the plans and specifications for the above named project. All bidders shall be required to sign an acknowledgment of the receipt of this addendum and submit with their bid.

Addendum No. 1 is issued to add the Pre-Bid Conference Meeting Minutes and Sign-In Sheet, include the TxDOT Certificate of Insurance, SBEDA information sheet, and the Bid Proposal and plans are hereby modified as follows:

- Replace Form 025 Unit Pricing Form in its entirety.
- Replace Plan Sheet 208 from SAWS Water Plans.

No questions were received by Bidders, therefore they are not posted in this addendum as stated in the Pre-bid Meeting minutes.

Revisions are generally summarized as follows:

Sheet 208: The table on this sheet had an update to the "Sheet 4" Column of this sheet and the "Total" column.

ATTACHMENTS:

- Pre-Bid Meeting Minutes (2 Pages)
- Sign-in Sheet (2 Pages)
- TxDOT Certificate of Insurance (2 pages)
- SBEDA Information (1 Page)
- Revised 025 Unit Pricing Form (5 pages)
- Revised Plan Sheet 208 (1 page)
- Addendum Acknowledgement Form (1 page)

**CITY OF SAN ANTONIO
DEPARTMENT OF CAPITAL IMPROVEMENTS
MANAGEMENT SERVICES**

**PROJECT NAME: ROOSEVELT DRAINAGE AT MARCH AVE
CIMS PROJECT NO. 40-00245**

DATE: March 26, 2013

Pre-Bid Conference Meeting Minutes

A Non-Mandatory Pre-submittal conference was held at the Municipal Plaza Building 9th Floor Conference Room on March 26, 2013 at 9:00 am. The following items were discussed:

Introductions – please see the sign-in sheet, attached, for a list of attendees.

This project is a low bid project, 240 calendar days, \$1,553,000 estimated cost.

All documents are on the CIMS website. Bid results and addenda will be posted on website. Questions about the project need to be submitted in writing. The questions will be posted and answered in addenda. Friday, March 29, 2013 is deadline for questions. Next Tuesday, April 2, 2013, is the addendum answering the questions will be posted. Bid submittals are due April 9, 2013 by 2:00 p.m. as determined by the City Clerk's time clock. Respondents are reminded to allow time to pass through the building security and obtain a visitor's pass. No communication with City officers will be permitted regarding this project after the pre-bid conference, with the exception of the SBEDA Program office, other than through the written questions which will be posted and answered in an addendum. Be sure to sign and have original signatures on all documents 010, 025, Addendum Acknowledgement Forms, and SBEDA Utilization Plan. When you upload the 010 it guides you through the solicitation.

A SBEDA handout was provided and discussed to attendees. Compliance requirement for this project is 24% SBE and 15% M/WBE. M/WBE's must be certified SBE's. A Subcontractor/Supplier Utilization Plan is required. The South Central Texas Regional Certification Agency (SCTRCA) is the only certification recognized for eligibility. The utilization plan must be based on the base bid only. Submittals not meeting the SBEDA goals without a waiver will deem the contractor nonresponsive. Contact Brenda Navarro with questions, Ruben Flores is her manager.

Labor Compliance mentioned that very project has a wage decision assign to it. This project type is Heavy and Highway. The publication was on January 4, 2013. The City of San Antonio has a list of observed holidays in which all employees must be paid time and a half. Employees must be paid time and a half for hours worked over 40 hours. Anyone that works on the project must be classified in LCP tracker. All workers must be classified properly based on their work. Primary contractor is responsible for all certified payrolls and can get administrative access to the LCP tracker to review the subcontractor's certified payroll documentation. All employees must be hourly. Site visits will be performed to see that employees match with LCP documentation. Violations could result in fines of \$60 per employee per incident per day. Certified payroll documentation will be in certified weekly in LCP Tracker system. The General Contractor is responsible for reviewing the certified payrolls. The General Contractor is responsible for all labor compliance issues.

Monthly updated schedules will be required for this project. The City of San Antonio has Primavera 6.2 and schedule submittals must be compatible with this system. TIA's will be addressed as outlined in the specifications. Please fill out narrative attached to the template in monthly updates. Base line needs to be submitted prior to the preconstruction meeting. If there are delays in the project, please continue submitting monthly updates. Contact Thomas Gonzalez if there are any scheduling questions.

Pre-Bid Conference Meeting Minutes (Continued, Page 2 of 2)

Phase 1 and a Phase 2 were performed for hazardous materials and there were no hits above regulatory levels. There is AC pipe on the project and SAWS Item 3000 covers AC pipe. An abatement work plan will be submitted prior to work in the area that must be approved by the City and SAWS. The City will have third party oversight for any operations involving the handling of AC pipe. The project will be operating under a Nationwide Permit 12 through the USACE for the work at the outfall. Please conform to the plans as close as possible.

The CPS gas is joint bid and CPS overhead work should be completed soon. ATT is making adjustments and will be done by April. Time Warner Cable is aerial and will adjust when CPS is complete and will coordinate with CPS to pull the poles.

There is a small section of sewer replacement, but the water is being replaced for the full project. A temporary water main is needed prior to any tie-ins since it is on the edge of the pressure zone. There is a small adjustment that also needs to be done at Roosevelt.

Roosevelt is owned and maintained by TxDOT. There will be TxDOT inspection within the intersection. TxDOT is requiring a Certificate of Insurance above and beyond the one required by the City. The form will be included in the addendum. It addresses worker's compensation, commercial and general liability, and business automobiles.

The object of the project is to minimize flooding that occurs at the intersection of Roosevelt and March. Two grate inlets will be installed at the Roosevelt intersection and the water will be carried through a storm sewer down March Ave and then outfall at the drainage ditch at Damon intersection. This is the outfall that has USACE requirements. March Ave will be reconstructed and sidewalks and driveways will be installed. Coordination will need to be done with the fire station on March Ave. and access will always need to be provided. Be careful with existing rock gardens and complex geometry at cul-de-sac tie-ins needed to meet ADA requirements. Once a bidder is selected there will be a "Here we come" meeting with the residents and business owners. Once the project is awarded, coordinate with the CPO, Hugh Guillen, to schedule the meeting. It will probably be at the Mission Branch Library.

No questions from bidders.

No additional comments.

Meeting Adjourned

END OF MEETING MINUTES

SIGN IN SHEET

Project: ROOSEVELT DRAINAGE @ MARCH AVENUE 1/2

Date/Time: 3/26/2013 @ 9:00 AM Mtg Rm.: 9TH FLOOR

Review: [] 40% Design [] 70% Design [] 95% Design [] Pre-Bid [] Pre-Con [] Other _____

| <u>NAME</u> | <u>COMPANY</u> | <u>PHONE#</u> |
|---|----------------|---------------|
| Anibal Gutierrez (Project Manager) <i>AG</i> | COSA/CIMS | 207-7167 |
| Kathryn Otto (Project Engineer) <i>KO</i> | COSA/CIMS | 207-6942 |
| Sean Strong (Project Engineer) <i>SS</i> | COSA/CIMS | 207-8037 |
| Hugh Guillen (Capital Project Officer) <i>HSG</i> | COSA/CIMS | 207-8230 |
| Jesus Rodriguez (Utility Coordinator) | COSA/CIMS | 207-8252 |
| John Offer (Utility Coordinator) | CPS ENERGY | 353-2012 |
| David Palacios | COSA-L&D | 207-2099 |
| Jeremiah Cones | RL Cones | 4966223 |
| Matthew Matula | SAWS | 233-3945 |
| Thomas Gonzalez | CIMS | 207-1328 |
| Branda Navarro | COSA-CIMS | 207-5442 |
| Ron Ramirez | COSA-CIMS | 207-8068 |
| Fernando Camarillo | PCI | 549-3273 |
| San Juan | CIMS EMD | 207 1442 |
| JOHN RODRIGUEZ | CIMS ETO | 207-1080 |
| John Offer | CPS Energy | 353-2012 |
| Arnold Ramirez | CIMS | 207-6309 |
| | | |
| | | |

SIGN IN SHEET

Project: ROOSEVELT DRAINAGE @ MARCH AVENUE 3/2

Date/Time: 3/26/2013 @ 9:00 AM Mtg Rm.: 9TH FLOOR

Review: [] 40% Design [] 70% Design [] 95% Design [] Pre-Bid [] Pre-Con [] Other _____

| <u>NAME</u> | <u>COMPANY</u> | <u>PHONE#</u> |
|--|------------------------------|----------------|
| Anibal Gutierrez (Project Manager) | COSA/CIMS | 207-7167 |
| Kathryn Otto (Project Engineer) | COSA/CIMS | 207-6942 |
| Sean Strong (Project Engineer) | COSA/CIMS | 207-8037 |
| Hugh Guillen (Capital Project Officer) | COSA/CIMS | 207-8230 |
| Jesus Rodriguez (Utility Coordinator) | COSA/CIMS | 207-8252 |
| John Offer (Utility Coordinator) | CPS ENERGY | 353-2012 |
| Ricardo Zamora | PCI | 349-3273 |
| Roy Heath Jr. | S.A.C. | (210) 885-5539 |
| KYAN DERRY | EZ Bee CONSTRUCTION | (210) 736-6595 |
| KELLY COURTNEY | LAUGHLIN-THYSSEN INC. | 713 429 6500 |
| Theresa Larson | COSA/CIMS | 207-1446 |
| David Plata Jr | D. Plata Construction Co LLC | 210 902-9269. |
| Shuchi Nayyar | COSA EPS | 210-207-0071 |
| Claudia Haas | COSA-CIMS | 210-207-8398 |
| JOHN DONNELLY | COSA CIMS | 207-4019 |
| Ricardo Zamora | PCI | 349-3273 |
| | | |
| | | |
| | | |

NOTES TO AGENTS:

Agents must provide all requested information then either fax or mail this form directly to the address listed below.

Pre-printed limits are the minimum required; if higher limits are provided by the policy, enter the higher limit amount and strike-through or cross-out the pre-printed limit.

To avoid work suspension, an updated insurance form must reach the address listed below **one business day prior** to the expiration date. **Insurance must be in force in order to perform any work.**

Binder numbers are not acceptable for policy numbers.

The certificate of insurance, once on file with the department, is adequate for subsequent department contracts provided adequate coverage is still in effect. Do not refer to specific projects/contracts on this form.

List the contractor's legal company name, including the DBA (doing business as) name as the insured. If a staff leasing service is providing insurance to the contractor/client company, list the staff leasing service as the insured and show the contractor/client company in parenthesis.

The TxDOT certificate of insurance form is the only acceptable proof of insurance for department contracts.

List the contractor's legal company name, including the DBA (doing business as) name as the insured or list both the contractor and staff leasing service as insured when a staff leasing service is providing insurance.

Over-stamping and/or over-typing entries on the certificate of insurance are not acceptable if such entries change the provisions of the certificate in any manner.

This form may be reproduced.

DO NOT COMPLETE THIS FORM UNLESS THE WORKERS' COMPENSATION POLICY IS ENDORSED WITH A WAIVER OF SUBROGATION IN FAVOR OF TXDOT.

The **SIGNATURE** of the agent is required.

CERTIFICATE OF INSURANCE REQUIREMENTS:

WORKERS' COMPENSATION INSURANCE:

The contractor is required to have Workers' Compensation Insurance if the contractor has any employees including relatives.

The word STATUTORY, under limits of liability, means that the insurer would pay benefits allowed under the Texas Workers' Compensation Law.

GROUP HEALTH or ACCIDENT INSURANCE is not an acceptable substitute for Workers' Compensation.

COMMERCIAL GENERAL LIABILITY INSURANCE:

MANUFACTURERS' or CONTRACTOR LIABILITY INSURANCE is not an acceptable substitute for Comprehensive General Liability Insurance or Commercial General Liability Insurance.

BUSINESS AUTOMOBILE POLICY:

If coverages are specified separately, they must be at least these amounts:

| | |
|-----------------|---------------------------|
| Bodily Injury | \$500,000 each occurrence |
| | \$100,000 each occurrence |
| Property Damage | \$100,000 for aggregate |

PRIVATE AUTOMOBILE LIABILITY INSURANCE is not an acceptable substitute for a Business Automobile Policy.

MAIL ALL CERTIFICATES TO:

Texas Department of Transportation
CST – Contract Processing Unit (RA/200 – 1st Fl.)
125 E. 11th Street
Austin, TX 78701-2483
512/416-2540 (Voice), 512/416-2536 (Fax)

Project Name: Roosevelt Drainage @ March Ave.

Pre-Submittal Date: March 26, 2013

SBEDA Affirmative Procurement Initiative: 24% SBE Subcontracting Goal; 15% M/WBE Subcontracting Goal

I. Subcontracting Program

- **24%** must be subcontracted to certified SBE(s) designated within San Antonio Metropolitan Statistical Area (SAMSA)
- **15%** must be subcontracted to certified M/WBE(s) designated within San Antonio Metropolitan Statistical Area (SAMSA)
- Certified M/WBE's must also be certified SBE's;
- Respondents must demonstrate their intent to accomplish this requirement by submitting the **Subcontractor/Supplier Utilization Plan** form with their response
- Failure of a respondent to submit the **Subcontractor/Supplier Utilization Plan** form or meet the subcontracting requirements will deem its response nonresponsive
- First tier certified SBE(s) and M/WBE(s) will count toward the percentage goal
- All M/WBE's must also be certified as SBEs; therefore participation by M/WBEs automatically count towards the SBE goal
- ***SBE Prime participation does NOT count towards SBE Subcontracting goal***
- ***M/WBE Prime participation does NOT count toward M/WBE Subcontracting goal***

II. Eligibility Criteria

- Eligibility Certification:
 - SBE
 - SBE and M/WBE (AABE/ABE/HABE/NABE/WBE)
 - Certified through the South Central Texas Regional Certification Agency (SCTRCA) to perform commercially-useful function
- Be considered small under SBA size standards for specific industry category of work being proposed
- Headquartered or demonstrate "significant business presence" (20% of total company employees) regularly based in the SAMSA (Atascosa, Bandera, Bexar, Comal, Guadalupe, Kendall, Medina, or Wilson) for at least one year
- SBEDA staff can assist with priority certification while solicitation is open
- For additional information, contact Ruben Flores at 210.207.3923 ruben.a.flores@sanantonio.gov or Brenda Navarro at 210.207.5442 brenda.navarro@sanantonio.gov

III. Waivers & Exceptions

- A full or partial waiver of a specified subcontracting goal may be requested, for good cause, by submitting the *Respondent Subcontracting Waiver Request* form with the solicitation response
 - Form is available at www.sanantonio.gov/edd/SmallBusiness/
 - Waiver request must fully document subcontractor unavailability despite good faith efforts to comply with the goal
- Respondent may request, for good cause, an Exception to the application of the SBEDA Program by submitting the *Exception to SBEDA Program Requirements Request* form with the solicitation response
 - Form available at www.sanantonio.gov/edd/SmallBusiness/
 - Exception request must fully document why:
 - ◆ Value of contract is below \$50,000;
 - ◆ No commercially-useful subcontracting opportunities exist; or
 - ◆ Type of contract is outside scope of the SBEDA Ordinance
- For Waivers or Exceptions, contact Ruben Flores at 210.207.3923 or ruben.a.flores@sanantonio.gov

IV. Central Vendor Registry (CVR)

- All contractors/consultants wishing to do business with the City must first register in the CVR
- To begin the registration process, please go to <http://www.sanantonio.gov/purchasing/SAePS.aspx>
- For technical assistance please call (210) 207-0118

| | | | | | | | | |
|--|--|--|--|--|--|--|--|--|
| | | | | The City only will accept bid pricing to the hundredths. Any pricing extended out to three decimal points will be truncated to two decimal points in the City's favor. | | | | |
|--|--|--|--|--|--|--|--|--|

COSA - MARCH AVE - BASE BID (CONT'D)

| ALT. NO. | ITEM NO. | DESC. CODE | S.P. NO | BID ITEM DESCRIPTION | UNIT OF MEASURE | APPROX. QUANTITIES | UNIT BID PRICE | AMOUNT | ITEM SEQUENCE NO. |
|----------|----------|------------|---------|--|-----------------|--------------------|----------------|--------|-------------------|
| | 100.1 | | | MOBILIZATION | L.S. | 1 | | | |
| | 100.2 | | | INSURANCE & BOND | L.S. | 1 | | | |
| | 101.1 | | | PREPARING RIGHT-OF-WAY | L.S. | 1 | | | |
| | 103.1 | | | REMOVE CONC. CURB | LF | 922 | | | |
| | 103.3 | | | REMOVE SIDEWALKS AND DRIVEWAYS | SF | 541 | | | |
| | 104.1 | | | STREET EXCAVATION | CY | 2102 | | | |
| | 106.1 | | | BOX CULVERT EXCAVATION AND BACKFILL | CY | 2909 | | | |
| | 107.1 | | | EMBANK (FINAL) (DENSITY CONTROL) TY B | CY | 13 | | | |
| | 108.1 | | | LIME TREATED SUBGRADE (6" COMP DEPTH) | SY | 3443 | | | |
| | 108.2 | | | LIME (DRY WEIGHT) (SLURRY PLACEMENT)(25 LB/SY) | TON | 43 | | | |
| | 200.1 | | | FLEXIBLE BASE (12" COMPACTED DEPTH) | SY | 1447 | | | |
| | 203.1 | | | TACK COAT | GAL | 614 | | | |
| | 205.2 | | | HOT MIX ASPH PVMT TYPE B (6") | SY | 3443 | | | |
| | 205.2 | | | HOT MIX ASPH PVMT TYPE B (8") | SY | 802 | | | |
| | 205.4 | | | HOT MIX ASPH PVMT TYPE D (2") | SY | 3845 | | | |
| | 306.1 | | | STRUCTURAL EXCAVATION (FOR HEADWALL) | CY | 20 | | | |
| | 307.1 | | | CONCRETE STRUCTURE (DRIVEWAY RETAINING WALLS) | CY | 5 | | | |
| | 307.1 | | | CONCRETE STRUCTURE (WINGWALLS)(HW=4')(FW-0) | EA | 1 | | | |
| | 309.1 | | | PRECAST REINF CONCRETE BOX CULVERT(7' X 3') | LF | 910 | | | |
| | 309.2 | | | PRECAST 4'X2' BOX CULVERT CONCRETE PLUG | EA | 1 | | | |
| | 401.1 | | | REINF CONCRETE PIPE (CLASS III)(24" DIA) | LF | 75 | | | |
| | 403.7 | | | INLET COMPLETE (10 FT) (TY C-1)(6 FT DEEP) | EA | 5 | | | |
| | 403.7 | | | INLET COMPLETE (10 FT) (TY C-1)(7 FT DEEP) | EA | 1 | | | |
| | 403.9 | | | INLET EXTENSIONS (10 FT) | EA | 4 | | | |
| | 403.15 | | | VERTICAL MANHOLE STACK | EA | 3 | | | |
| | 410.2 | | | GRAVEL SUBGRADE FILLER | CY | 103 | | | |
| | 500.1 | | | CONC CURB | LF | 2010 | | | |
| | 502.1 | | | CONC SIDEWALK | SY | 616 | | | |
| | 503.1 | | | PORTLAND CEMENT CONC. DRIVEWAY RESIDENTIAL | SY | 206 | | | |
| | 503.2 | | | PORTLAND CEMENT CONC. DRIVEWAY COMMERCIAL | SY | 504 | | | |
| | 503.4 | | | ASPHALT DRIVEWAY | SY | 6 | | | |
| | 503.5 | | | GRAVEL DRIVEWAY | SY | 50 | | | |
| | 505.1 | | | CONC RIPRAP (5" THICK) | SY | 19 | | | |
| | 506.1 | | | CONCRETE RETAINING WALLS-COMB. TYPE | CY | 10 | | | |

COSA - MARCH AVE - BASE BID (CONT'D)

| ALT. NO. | ITEM NO. | DESC. CODE | S.P. NO | BID ITEM DESCRIPTION | UNIT OF MEASURE | APPROX. QUANTITIES | UNIT BID PRICE | AMOUNT | ITEM SEQUENCE NO. |
|----------|----------|------------|---------|--|-----------------|--------------------|----------------|--------|-------------------|
| | 507.2 | | | CHAIN LINK WIRE FENCE (6' TALL) | LF | 50 | | | |
| | 508.1 | | | RELOCATING WIRE FENCE (6') | LF | 50 | | | |
| | 513.1 | | | REMOVING/RELOCATING MAILBOXES | EA | 6 | | | |
| | 515.1 | | | TOPSOIL | CY | 274 | | | |
| | 516.1 | | | BERMUDA SODDING | SY | 1320 | | | |
| | 516.2 | | | ST AUGUSTINE SODDING | SY | 1320 | | | |
| | 530.1 | | | BARRICADES, SIGNS & TRAFFIC HANDLING | LS | 1 | | | |
| | 531.21 | | | R7-1 NO PARKING ANYTIME (18" X 24") | EA | 4 | | | |
| | 531.4 | | | RI-2 YIELD (36") | EA | 1 | | | |
| | 531.57 | | | 10" D3 STREET NAME PLATE, (2 NAME PLATES PER STREET) | EA | 2 | | | |
| | 531.59 | | | W5-1 ROAD NARROWS | EA | 1 | | | |
| | 531.6 | | | R2-1 SPEED LIMIT (24"x30") | EA | 1 | | | |
| | 540.1 | | | ROCK FILTER DAMS (INSTALL) (TYPE 4) | LF | 28 | | | |
| | 540.1 | | | ROCK FILTER DAMS (REMOVE) (TYPE 4) | LF | 28 | | | |
| | 540.6 | | | CONSTRUCTION EXITS (INSTALL/REMOVE) | SY | 230 | | | |
| | 540.8 | | | SANDBAGS FOR EROSION CONTROL | LF | 14 | | | |
| | 540.10 | | | CURB INLET GRAVEL FILTERS | LF | 106 | | | |
| | 550.1 | | | TRENCH EXCAVATION SAFETY PROTECTION | LF | 1249 | | | |
| | 801.1 | | | LEVEL I PROTECTIVE FENCING TREE TRUNK PROTECTION | LF | 235 | | | |
| | 801.2 | | | LEVEL IIA PROTECTIVE FENCING TREE TRUNK PROTECTION | LF | 300 | | | |
| | 801.3 | | | LEVEL II B PROTECTIVE FENCING TREE TRUNK PROTECTION | LF | 50 | | | |
| | 802.2 | | | LEVEL II PRUNING | LS | 1 | | | |
| | 164 | TXDOT 2009 | | BROADCAST SEED (TEMP) (WARM) | SY | 500 | | | |
| | 164 | TXDOT 2011 | | BROADCAST SEED (TEMP) (COOL) | SY | 500 | | | |
| | 305 | TXDOT 2018 | | SALV,HAUL & STKPL RCL APH PV (2") | SY | 1663 | | | |
| | 340 | TXDOT 2063 | | D-GR HMA(METH) TY-D SAC-A PG76-22(2") | TON | 183 | | | |
| | 400 | TXDOT 2002 | | STRUCTURAL EXCAVATION (BOX) | CY | 214 | | | |
| | 400 | TXDOT 2008 | | CUT & RESTORING PAV (ASPH)(10") | SY | 94 | | | |
| | 432 | TXDOT 2035 | | RIPRAP (CONC) (6 IN) | CY | 3 | | | |
| | 432 | TXDOT 2069 | | RIPRAP (TY F) (DRY) (18 IN) | CY | 56 | | | |
| | 462 | TXDOT 2004 | | CONC BOX CULV (4 FT x 2 FT) | LF | 16 | | | |
| | 462 | TXDOT 2006 | | CONC BOX CULV (5 FT x 2FT) | LF | 132 | | | |
| | 462 | TXDOT 2014 | | CONC BOX CULV (7 FT x 3 FT) | LF | 132 | | | |
| | 465 | TXDOT 2001 | | INLET (COMPL)(TY H) | EA | 5 | | | |
| | 502 | TXDOT 2056 | | OFF DUTY UNIFORM POLICE OFFICER | HR | 40 | | | |
| | 512 | TXDOT 2008 | | PORT CTB (FUR & INST)(LOW PROF)(TY 1) | LF | 60 | | | |
| | 512 | TXDOT 2009 | | PORT CTB (FUR & INST)(LOW PROF)(TY 2) | LF | 40 | | | |
| | 512 | TXDOT 2026 | | PORT CTB (MOVE)(LOW PROF)(TY 1) | LF | 60 | | | |

COSA - MARCH AVE - BASE BID (CONT'D)

| ALT. NO. | ITEM NO. | DESC. CODE | S.P. NO | BID ITEM DESCRIPTION | UNIT OF MEASURE | APPROX. QUANTITIES | UNIT BID PRICE | AMOUNT | ITEM SEQUENCE NO. |
|--|----------|------------|---------|---|-----------------|--------------------|----------------|--------|-------------------|
| | 512 | TXDOT 2027 | | PORT CTB (MOVE)(LOW PROF)(TY 2) | LF | 40 | | | |
| | 512 | TXDOT 2044 | | PORT CTB (REMOVE)(LOW PROF)(TY 1) | LF | 60 | | | |
| | 512 | TXDOT 2045 | | PORT CTB (REMOVE)(LOW PROF)(TY 2) | LF | 40 | | | |
| | 644 | TXDOT 2058 | | RELOCATE "SAN JOSE MISSION" SIGN (TY S80) | EA | 1 | | | |
| | 662 | TXDOT 2013 | | WK ZN PAV MRK SH TRM (TAB) TY W | EA | 30 | | | |
| | 662 | TXDOT 2015 | | WK ZN PAV MRK SH TRM (TAB) TY Y-2 | EA | 18 | | | |
| | 666 | TXDOT 2003 | | REFL PAV MRK TY I (W)4"(BRK)(100 MIL) | LF | 80 | | | |
| | 666 | TXDOT 2012 | | REFL PAV MRK TY I (W)4"(SLD)(100 MIL) | LF | 374 | | | |
| | 666 | TXDOT 2048 | | REFL PAV MRK TY I (W)24"(SLD)(100 MIL) | LF | 456 | | | |
| | 666 | TXDOT 2111 | | REFL PAV MRK TY I (Y)4"(SLD)(100 MIL) | LF | 204 | | | |
| | 672 | TXDOT 2012 | | REFL PAV MRKR TY I-C | EA | 6 | | | |
| | 672 | TXDOT 2015 | | REFL PAV MRKR TY II-A-A | EA | 6 | | | |
| | 5049 | TXDOT 2003 | | BIOGRD EROSION CONTROL LOGS (12" DIA) | LF | 110 | | | |
| | 6834 | TXDOT 2001 | | CHANGEABLE MESSAGE BOARD | DAY | 30 | | | |
| TOTAL COSA MARCH AVE-BASE BID AMOUNT: | | | | | | | | | |

SAN ANTONIO WATER SYSTEM (SAWS) - WATER - BASE BID

| ALT. NO. | ITEM NO. | DESC. CODE | S.P. NO | BID ITEM DESCRIPTION | UNIT OF MEASURE | APPROX. QUANTITIES | UNIT BID PRICE | AMOUNT | ITEM SEQUENCE NO. |
|----------|----------|------------|---------|--|-----------------|--------------------|----------------|--------|-------------------|
| | 100 | | | MOBILIZATION | LS | 1 | | | |
| | 101 | | | PREPARING RIGHT OF WAY | LS | 1 | | | |
| | 103 | | | REMOVE CONCRETE CURB | LF | 37 | | | |
| | 103 | | | REMOVE CONCRETE DRIVEWAYS | SF | 549 | | | |
| | 206 | | | FLEXIBLE BASE (12" COMPACTED DEPTH) | SY | 484 | | | |
| | 206 | | | ASPHALT TREATED BASE (12" COMPACTED DEPTH) | SY | 56 | | | |
| | 413 | | | FLOWABLE FILL (LOW STRENGTH) | SY | 14 | | | |
| | 500 | | | CONCRETE CURB AND GUTTER | LF | 37 | | | |
| | 503 | | | COMMERCIAL CONCRETE DRIVEWAY | SY | 61 | | | |
| | 550 | | | TRENCH PROTECTION | LF | 1109 | | | |
| | 818 | | | 4" TEMPORARY PVC WATERLINE (RESTRAINED) | LF | 530 | | | |
| | 818 | | | 6" PVC WATERLINE (RESTRAINED) | LF | 106 | | | |
| | 818 | | | 8" PVC WATERLINE (RESTRAINED) | LF | 943 | | | |
| | 818 | | | 12" PVC WATERLINE (RESTRAINED) | LF | 46 | | | |
| | 824 | | | RELAY 3/4" SHORT SERVICE | EA | 2 | | | |
| | 824 | | | RELAY 3/4" LONG SERVICE | EA | 2 | | | |
| | 824 | | | RELAY 3/4" UNMETERED SHORT SERVICE | EA | 1 | | | |
| | 824 | | | RELAY 1" LONG SERVICE | EA | 1 | | | |

SAN ANTONIO WATER SYSTEM (SAWS) - WATER - BASE BID (CONT'D)

| ALT. NO. | ITEM NO. | DESC. CODE | S.P. NO | BID ITEM DESCRIPTION | UNIT OF MEASURE | APPROX. QUANTITIES | UNIT BID PRICE | AMOUNT | ITEM SEQUENCE NO. |
|---|----------|------------|---------|---|-----------------|--------------------|----------------|--------|-------------------|
| | 824 | | | RELAY 1 1/2" LONG SERVICE | EA | 2 | | | |
| | 828 | | | 4" GATE VALVE | EA | 1 | | | |
| | 828 | | | 6" GATE VALVE | EA | 4 | | | |
| | 828 | | | 8" GATE VALVE | EA | 3 | | | |
| | 833 | | | EXISTING METER AND NEW METER BOX RELOCATION | EA | 8 | | | |
| | 834 | | | FIRE HYDRANT | EA | 1 | | | |
| | 836 | | | PIPE FITTINGS, ALL SIZES & TYPES | TON | 4.13 | | | |
| | 840 | | | 6" WATER TIE-INS | EA | 5 | | | |
| | 840 | | | 12" WATER TIE-INS | EA | 2 | | | |
| | 841 | | | HYDROSTATIC TESTING | EA | 3 | | | |
| | 844 | | | 2" BLOW-OFF, TEMPORARY | EA | 7 | | | |
| | 3000.14 | | | REMOVAL, TRANS AND DISP. OF AC PIPE | LF | 175 | | | |
| TOTAL SAWS MARCH AVE - WATER BASE BID AMOUNT | | | | | | | | | |

SAN ANTONIO WATER SYSTEM (SAWS) - SANITARY SEWER - BASE BID

| ALT. NO. | ITEM NO. | DESC. CODE | S.P. NO | BID ITEM DESCRIPTION | UNIT OF MEASURE | APPROX. QUANTITIES | UNIT BID PRICE | AMOUNT | ITEM SEQUENCE NO. |
|--|----------|------------|---------|--|-----------------|--------------------|----------------|--------|-------------------|
| | 100 | | | MOBILIZATION | LS | 1 | | | |
| | 101 | | | PREPARING RIGHT-OF-WAY | LS | 1 | | | |
| | 103 | | | REMOVE CONCRETE DRIVEWAYS | SF | 369 | | | |
| | 206 | | | FLEXIBLE BASE (12" COMPACTED DEPTH) | SY | 55 | | | |
| | 503 | | | CONCRETE DRIVEWAYS | SY | 41 | | | |
| | 550 | | | TRENCH PROTECTION | LF | 346 | | | |
| | 848 | | | 8" PVC GRAVITY SAN. SEWER, (0'-10' CUT) | LF | 286 | | | |
| | 851 | | | ADJUST EXISTING MANHOLE (WATERTIGHT) | EA | 1 | | | |
| | 852.1 | | | SANITARY SEWER MANHOLE (0'-6') | EA | 3 | | | |
| | 852.2 | | | SANITARY SEWER DROP MANHOLE (0'-6') | EA | 1 | | | |
| | 852.3 | | | EXTRA DEPTH MANHOLES | VF | 15.72 | | | |
| | 854 | | | SANITARY SEWER LATERALS | LF | 30 | | | |
| | 854.1 | | | ONE-WAY SANITARY SEWER CLEAN-OUT | EA | 3 | | | |
| | 858 | | | CONCRETE ENCASEMENT | CY | 1.48 | | | |
| | 864 | | | BYPASS PUMPING (8"-12") | LS | 1 | | | |
| | 866 | | | PRE SEWER MAIN TELEVISION INSPECTION (8"-24") | LF | 470 | | | |
| | 866 | | | POST SEWER MAIN TELEVISION INSPECTION (8"-24") | LF | 470 | | | |
| TOTAL SAWS MARCH AVE - SANITARY SEWER BASE BID AMOUNT | | | | | | | | | |

CITY PUBLIC SERVICE (CPS) - GAS - BASE BID

| ALT. NO. | ITEM NO. | DESC. CODE | S.P. NO | BID ITEM DESCRIPTION | UNIT OF MEASURE | APPROX. QUANTITIES | UNIT BID PRICE | AMOUNT | ITEM SEQUENCE NO. |
|---|----------|------------|---------|---|-----------------|--------------------|----------------|--------|-------------------|
| | 1 | | | RERUN AND LOWER GAS SERVICE OFF EXISTING MAIN (MAIN TO METER), SIZES 1/2" THRU 4" (SHORT SIDE) | EA | 2 | | | |
| | 1 | | | RERUN AND LOWER GAS SERVICE OFF EXISTING MAIN (MAIN TO METER), SIZES 1/2" THRU 4" (LONG SIDE) | EA | 4 | | | |
| | 2 | | | CUT BACK, PUMP TEST AND TIE EXISTING SERVICE TO NEW MAIN, SIZES 1/2" THRU 4" | EA | 1 | | | |
| | 3 | | | INSTALL GAS MAIN OR CASING (DISTANCE AS MEASURES ALONG TOP OF TRENCH) (2" PLASTIC PIPE AND TRACER WIRE) | LF | 98 | | | |
| | 3 | | | INSTALL GAS MAIN OR CASING (DISTANCE AS MEASURES ALONG TOP OF TRENCH) (4" PLASTIC PIPE AND TRACER WIRE) | LF | 1371 | | | |
| | 3 | | | INSTALL GAS MAIN OR CASING (DISTANCE AS MEASURES ALONG TOP OF TRENCH) (4" STEEL PIPE) | LF | 82 | | | |
| | 4 | | | STREET RESTORATION ADJUSTMENT, WHEN REQUIRED. TO BE USED AS DIRECTED BY THE CPS ENERGY REPRESENTATIVE (FLOWABLE FILL) | CY | 27 | | | |
| | 4 | | | STREET RESTORATION ADJUSTMENT, WHEN REQUIRED. TO BE USED AS DIRECTED BY THE CPS ENERGY REPRESENTATIVE (ASPHALT) | SY | 16 | | | |
| TOTAL CPS ENERGY MARCH AVE - GAS BASE BID AMOUNT | | | | | | | | | |
| TOTAL BID AMOUNT | | | | | | | | | |

_____ certifies that the unit prices shown on this complete computer print-out for all of the bid items and the alternates contained in this proposal are the unit prices intended and that its bid will be tabulated using these unit prices and no other information from this print-out.

_____ Acknowledged and agrees that the total bid amount shown will be read as its total bid and further agrees that the official total bid amount will be determined by multiplying the unit bid prices shown in this print-out by the respective estimated quantities shown in the proposal and then totaling all of the extended amounts. _____ agrees to the terms, conditions, and requirements of the bidder's bid proposal.

Signed: _____ Date: _____

Title: _____

GENERAL WATER NOTES

- All materials and construction procedures within the scope of this contract shall be approved by the San Antonio Water System (SAWS) and comply with the Plans, Specifications, General Conditions and with the following as applicable:
 - Current Texas Commission on Environmental Quality (TCEQ) "Design Criteria for Domestic Wastewater System", Texas Administrative Code (TAC) Title 30 Part 1 Chapter 217 and "Public Drinking Water", TAC Title 30 Part 1 Chapter 290.
 - Current Texas Department of Transportation (TXDOT) "Standard Specifications for Construction of Highways, Streets and Drainage."
 - Current San Antonio Water System "Standard Specifications for Water and Sanitary Sewer Construction."
 - Current City of San Antonio "Standard Specifications for Public Works Construction."
 - Current City of San Antonio "Utility Excavation Criteria Manual"
- The Contractor is to make arrangements with the SAWS Construction Inspection Division at 233-3500 and provide notification procedures the contractor will use to notify affected home residents and/or property owners 48 hours prior to excavation.
- Locations and depths of existing utilities and service laterals shown on the plans are understood to be approximate. Actual locations and depths must be field verified by the Contractor 48 hours prior to construction. It shall be the Contractor's responsibility to locate utility service lines as required for construction and to protect them during construction at no cost to SAWS.
- The Contractor shall verify the exact location of underground utilities and drainage structures at least 48 hours prior to construction whether shown on plans or not. The following contact information are supplied for verification purposes:

SAWS Utility Locates: 233-2010
 SAWS Production Control Center: 233-2016
 COSA Drainage: 207-8048
 COSA Traffic Signal Operations: 207-7720
 Texas State Wide One Call Locator: 1-800-545-6005 or 811
 Bexar Metropolitan Water District: 354-6536
- The Contractor shall comply with City of San Antonio or other governing Municipality's tree ordinances when excavating near trees.
- The Contractor shall not place any waste materials or spoils in the 100-year Flood Plain without first obtaining an approved Flood Plain Permit.
- Prior to tie-ins, any shutdowns of existing mains of any size must be coordinated with the SAWS Construction Inspection Division at (210) 233-3500 and/or SAWS Production groups at least two weeks in advance of the shutdown. The Contractor must also provide a sequence of work as related to the tie-ins; this is at no additional cost to SAWS or the project and it is the responsibility of the Contractor to sequence the work accordingly.
- Where water lines and new sewer lines are installed with a separation distance closer than nine feet (i.e., water lines crossing wastewater lines, water lines paralleling wastewater lines, or water lines next to manholes) the installation must meet the requirements of 30 TAC 217.53(d) (Pipe Design) and 30 TAC 290.44(e) (Water Distribution).
- Asbestos Cement (AC) pipe, also known as transite pipe which is known to contain asbestos-containing material (ACM), may be located within the project limits. Special waste management procedures and health and safety requirements will be applicable when removal and/or disturbance of this pipe occurs. Payment for such work is to be made under Special Specification Item for Asbestos Cement Pipe.
- Any work completed without prior written authorization which is not included in these plans and specifications will not be compensated by the San Antonio Water System.

LEGEND

| | | | | | |
|---------|--------------------------|---------------|-----------------------|---------|-------------------------|
| P □ | UTILITY PEDESTAL | ⊕ | TRAFFIC SIGNAL POLE | —OHE— | OVERHEAD ELECTRIC LINE |
| ⊕ | TELEPHONE MANHOLE | ⊕ | ELECTRIC METER | —OHT— | OVERHEAD TELEPHONE LINE |
| ⊕ | SANITARY SEWER MANHOLE | ⊕ | POWER POLE | —OHCTV— | OVERHEAD CABLE TV LINE |
| JB ○ | STORM SEWER JUNCTION BOX | LP ☆ | LIGHT POLE | — x — | BARBED WIRE FENCE |
| CO ○ | CLEAN OUT | ⊕ | SIGNAGE POST | —◇— | CHAIN LINK FENCE |
| EL.MH ○ | ELECTRIC MANHOLE | ⊕ | GUY WIRE | —//— | WOOD FENCE |
| ⊕ | GAS METER | —2" G— | GAS LINE | —•— | CABLE FENCE |
| ⊕ | WATER METER | — W — | WATER LINE | ⊙ | EXIST. TREE |
| HB □ | HOSE BIBB | —UGT— | UNDERGROUND TELEPHONE | | |
| ⊕ | FIRE HYDRANT | —USE— | UNDERGROUND ELECTRIC | | |
| WV ⊕ | WATER VALVE | —8"SS— | SANITARY SEWER LINE | | |
| GV ⊕ | GAS VALVE | —24"ST (RCP)— | STORM SEWER LINE | | |
| PBX □ | PULL BOX | ⊕ | PARKING METER | | |

ADDITIONAL WATER NOTES

- THE INFORMATION SHOWN ON THIS DRAWING CONCERNING TYPE AND LOCATION OF UNDERGROUND UTILITIES IS NOT GUARANTEED TO BE ACCURATE OR ALL INCLUSIVE. THE CONTRACTOR IS RESPONSIBLE FOR MAKING HIS OR HER OWN DETERMINATION AS TO THE TYPE AND LOCATION OF UNDERGROUND UTILITIES AS MAY BE NECESSARY TO AVOID DAMAGE THERETO.
- CALL THE TEXAS ONE CALL LOCATOR AT 1-800-344-8377, 48 HOURS BEFORE BEGINNING ANY EXCAVATION.
- DUE TO FEDERAL REGULATION TITLE 49, PART 192.181, CPS MUST MAINTAIN ACCESS TO GAS VALVES AT ALL TIMES. THE CONTRACTOR MUST PROTECT AND WORK AROUND ANY GAS VALVES THAT ARE IN THE PROJECT AREA.
- THE CONTRACTOR WILL BE RESPONSIBLE FOR PROTECTING CPS OVERHEAD AND UNDERGROUND ELECTRICAL FACILITIES IF ADJACENT TO WORK AREA. PART 192.181.
- CONTRACTOR and/or CONTRACTOR'S INDEPENDENTLY RETAINED EMPLOYEE OR STRUCTURAL DESIGN/GEOTECHNICAL/ SAFETY/EQUIPMENT CONSULTANT, IF ANY, SHALL REVIEW THESE PLANS AND AVAILABLE GEOTECHNICAL INFORMATION AND THE ANTICIPATED INSTALLATION SITE(S) WITHIN THE PROJECT WORK AREA IN ORDER TO IMPLEMENT THE CONTRACTOR'S TRENCH EXCAVATION SAFETY PROTECTION SYSTEMS, PROGRAMS, and/or PROCEDURES SHALL PROVIDE FOR ADEQUATE TRENCH EXCAVATION SAFETY PROTECTION THAT COMPLIES WITH, AS A MINIMUM, OSHA STANDARDS FOR TRENCH EXCAVATIONS. SPECIFICALLY, THE CONTRACTOR and/or CONTRACTOR'S INDEPENDENTLY RETAINED EMPLOYEE OR SAFETY CONSULTANT SHALL IMPLEMENT A TRENCH SAFETY PROGRAM IN ACCORDANCE WITH OSHA STANDARDS GOVERNING THE PRESENCE AND ACTIVITIES OF INDIVIDUALS WORKING IN AND AROUND TRENCH EXCAVATION.
- ALL EXCAVATION SHALL BE BACKFILLED AT THE END OF EACH DAY. REFER TO SAWS SPEC 804, TEMPORARY ALL WEATHER SURFACE SHALL BE USED.
- ALL EXCESS EXCAVATION MATERIAL AND/OR DEBRIS SHALL BE REMOVED OFF SITE EACH DAY. (N.S.P.I.)
- JOINT RESTRAINING TO BE USED THROUGHOUT THE PLANS EXCEPT AT TIE-INS WHERE THRUST BLOCKING MAY BE USED, AT NO ADDITIONAL COST. (RL= RESTRAIN LENGTH)
- IT IS NECESSARY TO INSTALL AND APPROVE NEW WATER MAIN BEFORE ABANDON/REMOVE EXISTING WATER MAIN.
- ASBESTOS CEMENT (AC) PIPE, ALSO KNOWN AS TRANSIT PIPE AND WHICH IS KNOWN TO CONTAIN ASBESTOS CONTAINING MATERIAL (ACM), IS LOCATED WITHIN THE PROJECT LIMITS. SPECIAL WASTE MANAGEMENT PROCEDURES AND HEALTH AND SAFETY REQUIREMENTS WILL BE APPLICABLE WHEN REMOVAL AND/OR DISTURBANCE OF THIS PIPE OCCUR. PAYMENT FOR SUCH WORK IS TO BE MADE UNDER SPECIAL SPECIFICATION ITEM NO. 3000 "SPECIAL SPECIFICATION FOR HANDLING ASBESTOS CEMENT PIPE."
- FOR A TREE PROTECTION TABLE SEE CITY PLAN SHEETS.

| ITEM NO. | WATER ITEM DESCRIPTION | UNIT | TOTAL | Sheet 4 | Sheet 5 | Sheet 6 | Sheet 7 |
|----------|--------------------------------------|------|----------|----------|----------|----------|----------|
| | | | QUANTITY | QUANTITY | QUANTITY | QUANTITY | QUANTITY |
| 100 | Mobilization | LS | 1 | 0 | 0 | 0 | 0 |
| 101 | Preparing Right of Way | LS | 1 | 0 | 0 | 0 | 0 |
| 103 | Remove Concrete Curb | LF | 37 | 15 | 7 | 15 | 0 |
| 103 | Remove Concrete Driveways | SF | 549 | 252 | 0 | 0 | 297 |
| 206 | Flexible Base (12" compacted depth) | SY | 484 | 76 | 211 | 127 | 70 |
| 206 | Asphalt Treated Base (12" compacted) | SY | 56 | 56 | 0 | 0 | 0 |
| 413 | Flowable Fill (low strength) | CY | 14 | 14 | 0 | 0 | 0 |
| 500 | Concrete Curb and Gutter | LF | 37 | 15 | 7 | 15 | 0 |
| 503 | Commercial Concrete Driveway | SY | 61 | 28 | 0 | 0 | 33 |
| 550 | Trench Protection | LF | 1109 | 289 | 518 | 302 | 0 |
| 818 | 4" Temporary PVC Waterline | LF | 530 | 0 | 0 | 0 | 530 |
| 818 | 6" PVC Waterline (Restrained) | LF | 106 | 0 | 82 | 24 | 0 |
| 818 | 8" PVC Waterline (Restrained) | LF | 943 | 243 | 422 | 278 | 0 |
| 818 | 12" PVC Waterline (Restrained) | LF | 46 | 46 | 0 | 0 | 0 |
| 824 | Relay 3/4" Short Service | EA | 2 | 1 | 1 | 0 | 0 |
| 824 | Relay 3/4" Long Service | EA | 2 | 2 | 0 | 0 | 0 |
| 824 | Relay 3/4" Unmetered Short Service | EA | 1 | 0 | 1 | 0 | 0 |
| 824 | Relay 1" Long Service | EA | 1 | 1 | 0 | 0 | 0 |
| 825 | Relay 1 1/2" Long Service | EA | 2 | 1 | 0 | 1 | 0 |
| 828 | 4" Gate Valve | EA | 1 | 0 | 0 | 0 | 1 |
| 828 | 6" Gate Valve | EA | 4 | 0 | 2 | 1 | 1 |
| 828 | 8" Gate Valve | EA | 3 | 0 | 2 | 1 | 0 |
| 833 | Existing Meter and New Meter Box | EA | 8 | 6 | 1 | 1 | 0 |
| 834 | Fire Hydrant | EA | 1 | 0 | 1 | 0 | 0 |
| 836 | Pipe Fittings, all sizes & types | TON | 4.13 | 1.55 | 1.01 | 1.07 | 0.51 |
| 840 | 6" Water Tie-Ins | EA | 5 | 1 | 2 | 2 | 0 |
| 840 | 12" Water Tie-Ins | EA | 2 | 2 | 0 | 0 | 0 |
| 841 | Hydrostatic Testing | EA | 3 | 2 | 0 | 0 | 1 |
| 844 | 2" Blow-off, Temporary | EA | 7 | 3 | 2 | 2 | 0 |
| 3000 | Removal, trans and Disp. Of AC Pipe | LF | 175 | 52 | 93 | 30 | 0 |

ROZNECKI
CAMARILLO

5835 CALLAGHAN RD. SUITE 200
SAN ANTONIO, TEXAS, 78228
(210) 349-3773 <http://www.pccs.com/>
TBP# REG. NO. F-183



JOSE A. RUIZ, P.E.
DATE: 3/29/2013

| | | | |
|-------------------|----------|-------|----------|
| ADDENDUM QUANTITY | | | |
| CHANGE | CC | JR | 03/29/13 |
| No. | Revision | Drawn | Approved |
| DATE | | | |

| REVISIONS | | | |
|---------------------|--|--|--|
| CITY OF SAN ANTONIO | | | |
| ROOSEVELT DRAINAGE | | | |
| AT MARCH AVENUE | | | |
| GENERAL NOTES | | | |

| | |
|----------------|-----------------|
| DEVELOPER: | |
| CONT. | BUDGET PROJ. |
| SUBMITTED | |
| APPROVED | |
| MAP No. | SHEET |
| SECT. No. | 2 |
| DR. CC CK. JAR | JOB No. 09-5068 |
| | Of 8 |

**CITY OF SAN ANTONIO
DEPARTMENT OF CAPITAL IMPROVEMENTS MANAGEMENT SERVICES
CONTRACT SERVICES DIVISION**

RECEIPT OF ADDENDUM NUMBER (S) 1 IS HEREBY ACKNOWLEDGED FOR PLANS AND SPECIFICATIONS FOR CONSTRUCTION OF ROOSEVELT DRAINAGE AT MARCH AVE FOR WHICH BIDS WILL BE OPENED ON TUESDAY, MARCH 9, 2013 AT 2:00 P.M.

THIS ACKNOWLEDGEMENT MUST BE SIGNED AND RETURNED WITH THE BID PACKAGE.

Company name: _____

Address: _____

City/State/Zip Code: _____

Date: _____

Signature

Print Name/Title