

ADDENDUM NO. 02

PROJECT NAME: **OLMOS BASIN PARK**

DATE: 9/23/2014

ADDENDUM NO.02

This addendum should be included in and be considered part of the plans and specifications for the name of the project. The contractor shall be required to sign an acknowledgement of the receipt of this addendum and submit with their bid.

TCI PROJECT NO.: **40-00381**

Formal Invitation for Bid and Contract:

GENERAL CLARIFICATIONS AND CHANGES

- ITEM NO. 1.** Footings for the 15' trail light poles shall follow the Electrical Engineer's detail. Refer to Sheet E3.1, Detail 4.
- ITEM NO. 2.** Footings for the 30' parking light poles shall follow the Structural Engineer's detail. Refer to revised Sheet S2.1, Detail 1 below.

CHANGES TO SPECIFICATIONS

N/A

CHANGES TO DRAWINGS

ITEM NO. 3. SHEET S2.1: FRAMING DETAILS

- A. Replace previously issued sheet, dated June 13, 2014 with the attached revised and reissued drawing dated **September 23, 2014**.
- 1) Revised depth of footing below grade.



9-23-14



City of San Antonio

TRANSPORTATION AND CAPITAL IMPROVEMENTS

RECEIPT OF ADDENDUM NUMBER(S) 02 IS HEREBY ACKNOWLEDGED FOR PLANS AND

SPECIFICATIONS FOR CONSTRUCTION OF OLMOS BASIN PARK 40-00381

FOR WHICH BIDS WILL BE OPENED ON September 30, 2014

THIS ACKNOWLEDGEMENT MUST BE SIGNED AND RETURNED WITH THE BID PACKAGE.

Company Name: _____



Address: _____

City/State/Zip Code: _____

Date: _____


Signature

Print Name/Title




- NOTES:**
- WHERE 90 DEGREE HOOKS ARE SCHEDULED OR DETAILED FOR TOP BARS, CORNER BARS MAY BE OMITTED.
 - MATCH SIZE, LOCATION AND NUMBER OF HORIZONTAL BEAM AND WALL BARS, EXCEPT THAT WHERE THERE ARE MORE THAN 2 TOP OR BOTTOM BARS, ONLY THE INSIDE AND OUTSIDE BARS MUST BE MATCHED.


2 TYPICAL CORNER BARS AT WALL OR GRADE BEAM INTERSECTION DETAIL




3 TYPICAL GRADE BEAM PENETRATION: ELEVATION (SIMILAR @ VERTICAL PENETRATIONS)




4 TYPICAL SLAB CONSTRUCTION JOINT DETAIL



5 TYPICAL BEAM CONSTRUCTION JOINT ELEVATION



6 TYPICAL ROUND OPENING IN CONCRETE



7 TYPICAL RECTANGULAR OPENING IN CONCRETE

shaping the built environment

JQ

June 13, 2014

JASTER-QUINTANILLA SAN ANTONIO, LLP
125 WEST SUNSET
210.348.9098
SAN ANTONIO, TEXAS 78209
JQENG.COM

AGUSTIN TELLEZ, JR.
79334
LICENSED PROFESSIONAL ENGINEER

C&F-Z GROUP, LLC
CONSULTING ENGINEER & ARCHITECT
Landscape Architecture & Planning
1243 Medical Drive, Suite 5200
San Antonio, Texas 78229
210-366-1911/210-366-0044 fax

CITY OF SAN ANTONIO - 2012 - 2017 BOND PROGRAM
OLMOS BASIN PARK
101 Jackson Keller Rd., San Antonio, TX, 78216



CITY OF SAN ANTONIO
TRANSPORTATION & CAPITAL IMPROVEMENTS

DRAWN: Staff
CHECKED: AT
DATE: 05-16-14
JOB NO. 12-782
REVISIONS :
8-23-14
ADDENDUM #1

SHEET TITLE
FRAMING
DETAILS

SHEET NO.
S2.1
SHEET OF