

ADDENDUM NO. 3

PROJECT NAME: FY 2015 ASPHALT OVERLAY TASK ORDER CONTRACT PACKAGE 4

DATE: 10/23/2014

ADDENDUM NO.3

This addendum should be included in and be considered part of the plans and specifications for the name of the project. The contractor shall be required to sign an acknowledgement of the receipt of this addendum and submit with their bid.

Formal Invitation for Bid and Contract:

1. Bid Opening Date Change:

Bids will be received in the Office of the City Clerk until 2:00 P.M. on Tuesday, November 4, 2014, and then publicly opened and read aloud.

2. Delete and Replace with the following:

**025 Unit Pricing Form
Governing Specifications**

3. Delete Special Specification 3254 from specifications.

CITY OF SAN ANTONIO
025 UNIT PRICING FORM

PROJECT NAME: FY 2015 Asphalt Overlay Task Order Contract Package 4 - Revised 10/23/14
PROJECT NO. 23-01403-03-05-01

ITEM NO.	DESC. CODE	S.P. NO	BID ITEM DESCRIPTION	UNIT OF MEASURE	APPROX. QUANTITIES	UNIT BID PRICE	AMOUNT	ITEM SEQUENCE NO.
			The City only will accept bid pricing to the hundredths. Any pricing extended out to three decimal points will be truncated to two decimal points in the City's favor.					
103.1			REMOVE CONCRETE CURB	LF	4,900			
103.3			REMOVE SIDEWALKS AND DRIVEWAYS	SF	30,000			
203.0			TACK COAT	GAL	6,000			
205.4A			HOT MIX ASPHALTIC PAVEMENT TYPE D (2" THICK) (GTR MODIFIED)	TON	8,000			
205.4B			HOT MIX ASPHALTIC PAVEMENT TYPE D (GTR MODIFIED) (LEVEL-UP)	TON	700			
205.4C			HOT MIX ASPHALTIC PAVEMENT TYPE D (2" THICK)	TON	7,000			
205.4D			HOT MIX ASPHALTIC PAVEMENT TYPE D (LEVEL-UP)	TON	650			
208.1			SALVAGING, HAULING & STOCKPILING RECLAIMABLE ASPH. PVMT (2")	SY	52,520			
209.1			BUS STOP CONCRETE PAVEMENT (10" DEPTH)	SY	2,800			
230.3			REPLACING BASE & PVMT WITH TYPE B PVMT (6" COMPACTED DEPTH)	TON	12,000			
230.3			REPLACING BASE & PVMT WITH TYPE B PVMT (8" COMPACTED DEPTH)	TON	1,000			
230.3			REPLACING BASE & PVMT WITH TYPE B PVMT (12" COMPACTED DEPTH)	TON	920			
240.4			WARM MIX ASPHALTIC CONCRETE, TYPE D (2" THICK)	TON	1,125			
241			EMULSION AGGREGATE SLURRY SEAL MIX	SY	4,500			
250			SEAL COAT	SY	120,000			
340			HOT MIX ASPHALTIC PAVEMENT, TYPE C (2" THICK) (PG 76-22) (CLASS "A" TRAP ROCK)	TON	2,100			
438			CLEANING EXISTING JOINTS	LF	800			
454			HEADER TYPE EXPANSION JOINT SEALANT	LF	1,200			
500			CONCRETE CURB, GUTTER, AND CONCRETE CURB AND GUTTER	LF	5,500			
502.1			CONCRETE SIDEWALKS	SY	4,500			
502.1A			CURB RAMPS	EA	250			
503.1			PORTLAND CEMENT CONCRETE DRIVEWAYS	SY	1,500			
512.1			ADJUSTING EXISTING MANHOLES (STORM SEWER)	EA	24			
512.1B			ADJUSTING EXISTING MANHOLES (AT&T)	EA	24			
515.1			TOPSOIL	CY	800			
516.1			SODDING	SY	3,000			
531.3			R1-1 STOP* (30") (HIGH DENSITY)	EA	30			
533-A			ELIM EXIST PVMT MRK AND RAISED MARKERS (4")	LF	1,100			
533-B			ELIM EXIST PVMT MRK AND RAISED MARKERS (8")	LF	500			
533-C			ELIM EXIST PVMT MRK AND RAISED MARKERS (12")	LF	550			
533-D			ELIM EXIST PVMT MRK AND RAISED MARKERS (24")	LF	900			

CITY OF SAN ANTONIO
025 UNIT PRICING FORM

PROJECT NAME: FY 2015 Asphalt Overlay Task Order Contract Package 4 - Revised 10/23/14
PROJECT NO. 23-01403-03-05-01

ITEM NO.	DESC. CODE	S.P. NO	BID ITEM DESCRIPTION	UNIT OF MEASURE	APPROX. QUANTITIES	UNIT BID PRICE	AMOUNT	ITEM SEQUENCE NO.
533-E			ELIM EXIST PVMT MRK AND RAISED MARKERS (SYMBOL)	EA	34			
533-G			ELIM EXIST PVMT MRK AND RAISED MARKERS (WORD)	EA	29			
533-H			ELIM EXIST PVMT MRK AND RAISED MARKERS (RR-XING)	EA	30			
535.1			4" WIDE YELLOW LINE	LF	40,000			
535.2			4" WIDE WHITE LINE	LF	7,700			
535.4			8" SOLID WHITE LINE	LF	3,500			
535.5			12" WIDE WHITE LINE	LF	600			
535.7			24" WIDE WHITE LINE	LF	3,300			
535.12			WORD "ONLY"	EA	18			
535.14			RAILROAD CROSSING SYMBOL	EA	7			
535.16			STRAIGHT WHITE ARROW BICYCLE FACILITY	EA	8			
535.17			BICYCLE RIDER SYMBOL	EA	12			
535.22			WHITE SHARROW (BIKE SHARED LANE)	EA	20			
535.23			WHITE ARROW (LEFT/RIGHT/STRAIGHT)	EA	82			
537.1			TRAFFIC BUTTON (TYPE W)	EA	300			
537.2			TRAFFIC BUTTON (TYPE Y)	EA	300			
537.6			PAVEMENT MARKER (TYPE I-C)	EA	2,800			
537.8			PAVEMENT MARKER (TYPE II A-A)	EA	2,200			
537.9			PAVEMENT MARKER (TYPE II C-R)	EA	220			
556.1			CAST IN PLACE DETECTABLE WARNING SURFACE TILES	EA	100			
624.2			GROUND BOXES TYPE B (122322)	EA	10			
712			JOINT AND CRACK SEALING	LB	13,000			
799			SPEED HUMP, TYPE II, MODULAR RUBBER CUSHIONS	EA	38			
SUP 1			DOOR HANGERS	LS	1			
SUP 2			POLICE OFFICER	HR	900			
SUP 3			RAILROAD INSURANCE AND PERMIT	LS	1			
SUP 4			LAPTOP AND INTERNET ACCESS	LS	1			
SUP 5			TCI AT WORK P ROJECT SIGN	EA	32			
SUP 6			PORTABLE CHANGEABLE MESSAGE SIGN (ELECTRONIC MESSAGE BOARD)	MO	12			
SUP 7			ADDITIONAL MOBILIZATION	EA	10			
SUP 8			GAPPING ROCK (3"-5")	TON	150			
						Total CoSA Bid Amount:		

CITY OF SAN ANTONIO
025 UNIT PRICING FORM

PROJECT NAME: FY 2015 Asphalt Overlay Task Order Contract Package 4 - Revised 10/23/14
PROJECT NO. 23-01403-03-05-01

ITEM NO.	DESC. CODE	S.P. NO	BID ITEM DESCRIPTION	UNIT OF MEASURE	APPROX. QUANTITIES	UNIT BID PRICE	AMOUNT	ITEM SEQUENCE NO.
SAWS WATER BID ITEMS								
826			VALVE BOX ADJUSTMENT (SAWS)	EA	300			
826A			VALVE BOX LOCATE AND ADJUSTMENT (SAWS)	EA	16			
Subtotal SAWS Water Bid Amount:								
SAWS SANITARY SEWER BID ITEMS								
851			ADJUSTING EXISTING MANHOLES (SAWS)	EA	160			
851A			LOCATING AND ADJUSTING EXISTING MANHOLES (SAWS)	EA	18			
Subtotal SAWS Sanitary Sewer Bid Amount:								
Total SAWS Bid Amount:								
Total (CoSA + SAWS) Bid Amount:								

In consideration of submitted bids, bidders are required and shall fully complete each unit bid price line on the 025 unit pricing form contained herein. Any unit bid price line left incomplete or determined by the City to be under priced may result in a submitted bid being deemed non-responsive. Bidders agree that the unit bid prices submitted on said 025 form, will be held throughout the duration of this indefinite delivery contract.

_____ certifies that the unit prices shown on this complete computer print-out for all of the bid items and the alternates contained in this proposal are the unit prices intended and that its bid will be tabulated using these unit prices and no other information from this print-out.

_____ Acknowledged and agrees that the total bid amount shown will be read as its total bid and further agrees that the official total bid amount will be determined by multiplying the unit bid prices shown in this print-out by the respective estimated quantities shown in the proposal and then totaling all of the extended amounts. _____ agrees to the terms, conditions, and requirements of the bidder's bid proposal.

Signed: _____ Date: _____

Title: _____

CITY OF SAN ANTONIO, TEXAS

**GOVERNING SPECIFICATIONS, SPECIAL SPECIFICATIONS, SPECIAL
PROVISIONS, AND SUPPLEMENTAL SPECIFICATIONS**
FOR

**FY 2015 TRANSPORTATION AND CAPITAL IMPROVEMENTS
ASPHALT OVERLAY WITH RUBBER TOC PACKAGE 4**

All Standard Specifications and Special Specifications applicable to this project are identified as follows:

**CITY OF SAN ANTONIO STANDARD SPECIFICATIONS FOR CONSTRUCTION
JUNE, 2008 AND SPECIAL PROVISIONS DATED MAY 2009, FEBRUARY 2010,
JUNE 2010 and NOVEMBER 2013**

<u>ITEM</u>	<u>DESCRIPTION</u>
100	- MOBILIZATION
101	- PREPARING RIGHT-OF-WAY
103	- REMOVE CONCRETE
104	- STREET EXCAVATION
107	- EMBANKMENT
200	- FLEXIBLE BASE
203	- TACK COAT
204	- SURFACE TREATMENTS
205	- HOT MIX ASPHALTIC CONCRETE PAVEMENT
208	- SALVAGING, HAULING AND STOCKPILING RECLAIMABLE ASPHALTIC PAVEMENT
209	- CONCRETE PAVEMENT
210	- ROLLING
220	- BLADING
230	- BASE AND PAVEMENT REPLACEMENT

- 240 - WARM MIX ASPHALTIC CONCRETE
- 300 - CONCRETE
- 301 - REINFORCING STEEL
- 302 - METAL FOR STRUCTURES
- 303 - WELDED WIRE FLAT SHEETS
- 307 - CONCRETE STRUCTURES
- 311 - CONCRETE SURFACE FINISH
- 407 - CONCRETE EASEMENT, CRADLES, SADDLES, AND COLLARS
- 500 - CONCRETE CURB, GUTTER, AND CONCRETE CURB AND GUTTER
- 502 - CONCRETE SIDEWALKS
- 503 - ASPHALTIC CONCRETE, PORTLAND CEMENT CONCRETE, AND GRAVEL DRIVEWAYS
- 505 - CONCRETE RIPRAP
- 506 - CONCRETE RETAINING WALLS – COMBINATION TYPE
- 512 - ADJUSTING EXISTING MANHOLES AND VALVE BOXES
- 515 - TOPSOIL
- 516 - SODDING
- 530 - BARRICADES, SIGNS, AND TRAFFIC HANDLING
- 531 - SIGNS
- 533 - CLEANING AND REMOVAL OF PAVEMENT MARKINGS AND MARKERS
- 535 - HOT APPLIED THERMOPLASTIC PAVEMENT MARKINGS
- 537 - RAISED PAVEMENT MARKERS
- 540 - TEMPORARY EROSION, SEDIMENTATION & WATER POLLUTION PREVENTION & CONTROL

- 556 - CAST IN PLACE DETECTABLE WARNING SURFACE TILES
- 624 - GROUND BOXES
- 1000 - WEB PORTAL

TEXAS DEPARTMENT OF TRANSPORTATION
STANDARD SPECIFICATIONS FOR CONSTRUCTION AND MAINTENANCE OF
HIGHWAYS, STREETS, AND BRIDGES JUNE, 2004

- 340 - DENSE GRADED HOT MIX ASPHALT
- 438 - CLEANING AND SEALING JOINTS AND CRACKS (RIGID PAVEMENT AND BRIDGE DECKS)
- 454 - BRIDGE EXPANSION JOINTS
- 712 - CLEANING AND SEALING JOINTS AND CRACKS

SAN ANTONIO WATER SYSTEM
STANDARD SPECIFICATIONS FOR CONSTRUCTION APRIL, 2014

- 826 - VALVE BOX ADJUSTMENT
- 851 - ADJUSTING EXISTING MANHOLE

SPECIAL SPECIFICATIONS FOR CONSTRUCTION

- 241 - EMULSION AGGREGATE SLURRY SEAL MIX
- 250 - SEAL COAT
- 799 - SPEED HUMPS, TYPE II MODULAR RUBBER CUSHIONS
- 826A - VALVE BOX LOCATE AND ADJUSTMENT
- 851A - MANHOLE LOCATE AND ADJUSTMENT

CITY OF SAN ANTONIO
SPECIAL PROVISIONS FOR CONSTRUCTION

- 205 - HOT MIX ASPHALTIC CONCRETE PAVEMENT
- 230 - BASE AND PAVEMENT REPLACEMENT

- 502 - CONCRETE SIDEWALKS
- 503 - ASPHALTIC CONCRETE, PORTLAND CEMENT CONCRETE, AND GRAVEL DRIVEWAYS
- 533 - CLEANING AND REMOVAL OF PAVEMENT MARKINGS AND MARKERS
- 535 - HOT APPLIED THERMOPLASTIC PAVEMENT MARKINGS
- 556 - CAST IN PLACE DETECTABLE WARNING SURFACE TILES

SAN ANTONIO WATER SYSTEM
SPECIAL PROVISIONS FOR CONSTRUCTION

- 851 - ADJUSTING EXISTING MANHOLE

TEXAS DEPARTMENT OF TRANSPORTATION SPECIAL PROVISIONS FOR
CONSTRUCTION

- 340 - DENSE-GRADED HOT-MIX ASPHALT (METHOD)
- 712 - CLEANING AND SEALING JOINTS AND CRACKS

CRAFCO PRODUCT DATA SHEET – ASPHALT RUBBER 541

SUPPLEMENTAL SPECIFICATIONS FOR CONSTRUCTION

- SUP 1 – DOOR HANGERS
- SUP 2 – POLICE OFFICER
- SUP 3 – RAILROAD INSURANCE AND PERMIT
- SUP 4 – LAPTOP AND WIRELESS INTERNET ACCESS
- SUP 5 – TCI “AT WORK” PROJECT SIGN
- SUP 6 – PORTABLE CHANGEABLE MESSAGE SIGN (ELECTRONIC MESSAGE BOARD)
- SUP 7 – ADDITIONAL MOBILIZATION

SUP 8 – GAPPING ROCK WITH GRADATION REQUIREMENTS

SPECIAL DETAILS FOR CONSTRUCTION

TCI AT WORK PROJECT SIGN DETAIL

MANHOLE ADJUSTMENT DETAIL

COSA TREE PROTECTION DETAILS

COSA SPEED HUMP, TYPE II MODULAR RUBBER CUSHION DETAILS

COSA WHEELCHAIR RAMP STANDARDS

COSA MISCELLANEOUS CONSTRUCTION STANDARDS I

COSA MISCELLANEOUS CONSTRUCTION STANDARDS II

COSA CONCRETE BUS PAD STANDARD

COSA CONCRETE DRIVEWAY STANDARDS

ASPHALT OVERLAY DETAILS

COSA STANDARD PAVEMENT MARKINGS DETAILS

COSA BARRICADE AND CONSTRUCTION STANDARDS

TXDOT PEDESTRIAN FACILITIES – CURB RAMPS

TXDOT PORTABLE CHANGEABLE MESSAGE SIGN (PCMS) BC (6) – 13

TXDOT TRAFFIC CONTROL STANDARDS

GENERAL NOTES FOR CONSTRUCTION

GENERAL NOTES FOR ASPHALT OVERLAY PROJECTS



Note: Addenda Acknowledgement Form for Addendum 3 is attached herein. This form must be signed and submitted with the bid package.

RECEIPT OF ADDENDUM NUMBER(S) 3 IS HEREBY ACKNOWLEDGED FOR PLANS AND SPECIFICATIONS FOR CONSTRUCTION OF THE FY 2015 ASPHALT OVERLAY TASK ORDER CONTRACT PACKAGE 4

FOR WHICH BIDS WILL BE OPENED ON **TUESDAY, NOVEMBER 4, 2014 AT 2:00 P.M.**

THIS ACKNOWLEDGEMENT MUST BE SIGNED AND RETURNED WITH THE BID PACKAGE.

Company Name: _____

Address: _____

City/State/Zip Code: _____

Date: _____

Signature

Print Name/Title